

2390020100

Touchless Sensor



DESCRIPTION

Touchless sensor used to activate intercom calls by gesture recognition, e.g. swipe of the hand. Including backbox for on-wall mounting. Compatible with our Turbine Compact Series.

SPECIFICATIONS

Dimensions (WxHxD)	80x80x28 mm
Weight	0.202 kg
Power options	PoE and/or external power supply. 5V DC
Outputs	N.O, N.C, COM
Ingress Protection Rating	IP66
Sensor distance	150 mm
Sensor active time	0,5 secs
Lifetime	Infrared sensor:100 000 hours / Relay mechanical lifespan:100 000 times
Indicators	Standby RED ; Proximity GREEN
Backbox material	Stainless Steel / PC / Aluminum Alloy
Operating temperature	-10° C to +70° C
Country of manufacture	Norway

[Export Table Data](#)

USED WITH

Created: 03.12.2020, updated: 08.12.2020

page 1/4

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Vingtor-Stentofon products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend. Zenitel – All rights reserved.



1008315020

TCIV-2+

IP and SIP Video Intercom



1008315030

TCIV-3+

IP and SIP Video Intercom



1008315050

TCIV-5+

IP and SIP Video Intercom



1008315060

TCIV-6+

IP and SIP Video Intercom



1008111010

TCIS-1

IP and SIP Intercom

1008111020

TCIS-2



1008111030

TCIS-3

IP and SIP Intercom



1008111040

TCIS-4

IP and SIP Intercom



1008111050

TCIS-5

IP and SIP Intercom



1008111060

TCIS-6

IP and SIP Intercom



1008111901

TCIS-C1

IP and SIP Intercom

